


NOTES:

- ① MAT'L: COPPER (STOCK TKN. $\frac{.040}{1.02}$)
 - ② PLATING: ELECTRO TIN (.0003 MIN) TIN-PLATED BRASS NON-FUNNEL FERRULE
 - ③ NYLON INSULATION (COLOR CODED YELLOW)
- STUD SIZES: ($\pm .005$)
- | | |
|------------|-----------|
| 02 = .094 | 413 = 413 |
| 04 = .119 | 76 = 453 |
| 06 = .146 | 12 = 515 |
| 08 = .173 | |
| 10 = .198 | |
| 14 = .265 | |
| 56 = .328 | |
| 38 = .390 | |
| 209 = .209 | |
- ALL DIMENSIONS = $\frac{\text{INCHES}}{\text{MM}}$
- "UL" LISTING #E32244
 "CSA" LISTING #18689
- WIRE SIZE: 12 - 10 AWG²
 4.0 - 6.0 MM²



(MWID) = DENOTES MAXIMUM WIRE INSULATION DIAMETER

| PART NUMBER | "W" | "C" | "L" | SCALE: | DATE | TITLE: | DWG. NO. | CUSTOMER DWG. |
|-------------|----------------------|----------------------|-----------------------|--------|---------|--|----------|---------------|
| C-801- | $\frac{.750}{19.05}$ | $\frac{.611}{15.51}$ | $\frac{1.580}{40.13}$ | NTS | 9-22-87 | RING TONGUE TERMINAL AVIKRIMP 800-SERIES | A | |
| C-828- | $\frac{.375}{9.53}$ | $\frac{.303}{7.70}$ | $\frac{1.091}{27.71}$ | | | | | |
| C-830- | $\frac{.530}{13.46}$ | $\frac{.393}{9.98}$ | $\frac{1.258}{31.95}$ | | | | | |
| C-836- | $\frac{.282}{7.16}$ | $\frac{.306}{7.77}$ | $\frac{1.047}{26.59}$ | | | | | |
| C-840- | $\frac{.592}{15.04}$ | $\frac{.466}{11.83}$ | $\frac{1.362}{34.59}$ | | | | | |

